

LIST OF PROFESSIONAL PUBLICATIONS (WITH 2 IMPORTANT ABSTRACTS)

- Środoń J. (1972) Mineralogy of coal-tonstein and K-bentonite from coal-seam no. 610, Bytom Trough (Upper Silesian Coal Basin, Poland). Bull. Acad. Polon. Sci., Ser. Sci. de la Terre 20, 155-164.
- Środoń J. (1972) Comparative study of K-bentonite and coal-tonstein from the Upper Silesian Coal Basin, Poland. Bull. Acad. Polon. Sci., Ser. Sci. de la Terre 20, 165-173.
- Kubisz J. i Środoń J. (1973) Studium mineralogiczno-petrograficzne skał poziomu bentonitowego z niecki bytomskiej. Prace Miner. 41, 52 pp. (*in Polish*).
- Parachoniak W. and Środoń J. (1974) The formation of kaolinite, montmorillonite, and mixed-layer montmorillonite-illite during the alteration of Carboniferous tuff (the Upper Silesian Coal Basin). Mineralogia Polonica 4, 37-56.
- Środoń J. (1974) An interpretation of climbing-ripple cross-lamination. Ann. Soc. Geol. Pol. 44, 449-473.
- Środoń J. (1976) Mixed-layer smectite/illites in the bentonites and tonsteins of the Upper Silesian Coal Basin. Prace Miner. 49, 84 pp.
- Stoch L., Bahranowski K., Gątarz Z. i Środoń J. (1977) Charakterystyka mineralogiczna ilów nadkładowych złoża siarki koło Tarnobrzega. Kwart. Geol. 21, 291-309 (*in Polish*).
- Pawełczyk J. i Środoń J. (1978) Rentgenograficzna analiza ilościowa składu mineralnego skał ilastych. Materiały I Krajowej Konferencji Ilastej, 211-220 (*in Polish*).
- Środoń J. (1979) Correlation between coal and clay diagenesis in the Carboniferous of the Upper Silesian Coal Basin. Proc. VI Int. Clay Conf., Oxford 1978, 251-260.
- Środoń J. (1980) Precise identification of illite/smectite interstratifications by X-ray powder diffraction. Clays & Clay Minerals 28, 401-411.
- Środoń J. (1980) Synthesis of mixed-layer kaolinite/smectite. Clays & Clay Minerals 28, 419-424.
- Środoń J. and Eberl D. D. (1980) The presentation of X-ray data for clay minerals. Clay Miner. 15, 317-320.
- Środoń J. (1981) X-ray identification of randomly interstratified illite/smectite in mixtures with discrete illite. Clay Miner. 16, 297-304.
- Środoń J. (1984) X-ray powder diffraction identification of illitic materials. Clays & Clay Minerals 32, 337-349.

Środoń J. (1984) Illite/smectite in low-temperature diagenesis: data from the Miocene of the Carpathian Foredeep. *Clay Miner.* 19, 205-215.

Środoń J. and Eberl D. D. (1984) Illite. In: S.W.Bailey, ed. *Micas. Reviews in Mineralogy* 13, Mineralogical Society of America, 495-544.

Środoń J. (1985) Clay minerals in diagenesis. *Geologic Aspects of Clays in the Petroleum Industry.* Univ. of Colorado at Denver. Pp. 39-44.

Środoń J., Morgan D. J., Eslinger E. V., Eberl D. D. and Karlinger M. R. (1986) Chemistry of illite/smectite and end-member illite. *Clays & Clay Minerals* 34, 368-378.

Eberl D. D., Środoń J. and Northrop H. R. (1986) Potassium fixation in smectite by wetting and drying. In: J.A. Davis and K.F. Hayes, eds. *Geochemical Processes at Mineral Surfaces*, American Chemical Society Symposium Series 323, 296-326.

Eberl D. D., Środoń J., Lee M., Nadeau P. H. and Northrop H. R. (1987) Sericite from the Silverton caldera, Colorado: Correlation among structure, composition, origin, and particle thickness. *Am. Mineral.* 72, 914-934.

Eberl D. D., Środoń J., Lee M. and Nadeau P. H. (1988) A reply to comments on "Sericite from the Silverton caldera, Colorado: Correlation among structure, composition, origin, and particle thickness". *Am. Mineral.* 73, 1475-1477.

Eberl D. D. and Środoń J. (1988) Ostwald ripening and interparticle-diffraction effects for illite crystals. *Am. Mineral.* 73, 1335-1345.

Środoń J. i Gaweł A. (1988) Identyfikacja rentgenograficzna mieszanopakietowych krzemianów warstwowych. In: A. Bolewski and W. Żabiński, eds. *Metody Badań Minerałów i Skał*, Wydawnictwa Geologiczne, 290-307 (*in Polish*).

Eberl D. D., Środoń J., Kralik M., Taylor B. E. and Peterman Z. E. (1990) Ostwald ripening of clays and metamorphic minerals. *Science* 248, 474-477.

Środoń J., Andreoli C., Elsass F. and Robert M. (1990) Direct HRTEM measurement of expandability of mixed-layer illite/smectite in bentonite rock. *Clays & Clay Minerals* 38, 373-379.

Środoń J. (1990) Illite/smectite in the rock cycle. In: J.L. Perez-Rodriguez and E. Galan, eds., *Lectures VI Meeting European Clay Groups*, Sevilla, 1987, 137-151.

Šucha V., Środoń J., Zatklikova V. and Franců J. (1991) Zmiesanovrstevnatý mineral typu illit/smektyt: separacia, identifikacia, využitie. *Min. Slovaca* 23, 267-274 (*in Slovak*).

Środoń J., Elsass F., McHardy W. J. and Morgan D. J. (1992) Chemistry of illite/smectite inferred from TEM measurements of fundamental particles. *Clay Minerals* 27, 137-158.

Środoń J. and Elsass F. (1994) Effect of the shape of fundamental particles on XRD characteristics of illitic minerals. *Europ. J. Mineral.* 6, 113-122.

Środoń J. (1995) Reconstruction of maximum paleotemperatures at present erosional surface of the Upper Silesia Basin, based on the composition of illite/smectite in shales. *Studia Geol. Pol.* 108, 9-22.

Środoń J. (1996) Clay minerals in diagenetic processes. *Przegląd Geologiczny* 44, 604-607 (*in Polish*).

Eberl D. D., Drits V., Środoń J. and Nuesch R. (1996) MUDMASTER: A program for calculating crystallite size distributions and strain from the shapes of X-ray diffraction peaks. U.S. Geological Survey Open-File Report 96-171, 45 pp.

Godzik B., Grodzińska K., Kiszka J., Krywult M., Kwadrans J., Laskowski R., Maryański M., Niklińska N., Szarek-Łukaszewska G., Środoń J., Braniewski S., Budziakowska E., Chrzanowska E. i Pawłowska B., (1996) Ocena stanu i procesów zachodzących w lasach zlewni potoku Ratanica (Pogórze Wielickie, Polska południowa) - Environmental assesment and biochemistry of a moderately polluted catchment (southern Poland). Grodzińska K. and Laskowski R. (eds.), Państwowa Inspekcja Ochrony Środowiska, Warszawa (*in Polish*).

Śucha V., Środoń J., Elsass F. and McHardy W.J. (1996) Particle shape versus coherent scattering domain of illite/smectite: evidence from HRTEM of Dolna Ves clays. *Clays & Clay Minerals* 44: 665-671.

Dudek T. and Środoń J. (1996) Identification of illite/smectite by X-ray powder diffraction taking into account the lognormal distribution of crystal thickness. *Geologica Carpathica-Series Clays* 5, 21-32.

Środoń J. (1997) Dating of diagenetic processes by K-Ar technique. *Nafta - Gaz* 2, 50-52 (*in Polish*).

Clauer N., Środoń J., Franců J. and Śucha V. (1997) K-Ar dating of illite fundamental particles separated from illite-smectite. *Clay Minerals* 32, 181-196.

Elsass F., Środoń J. and Robert M. (1997) Illite-smectite alteration and accompanying reactions in a Pennsylvanian underclay studied by TEM. *Clays & Clay Minerals* 45, 390-403.

Drīts V., Środoń J. and Eberl D.D. (1997) XRD measurement of mean crystallite thickness of illite and illite/smectite: reappraisal of the Kubler index and the Scherrer equation. *Clays & Clay Minerals* 45, 461-475.

Banaś M., Środoń J. and Clauer N. (1997) Thermal history of the Upper Silesia Coal Basin constrained by K-Ar dating of illite/smectite from pyroclastic horizons. *Sborník II Semináře České Tektonické Skupiny, Ostrava*, 1977, pp. 4-8.

Drīts V., Eberl D.D. and Środoń J. (1998) XRD measurement of mean thickness, thickness distribution and strain for illite and illite/smectite crystallites by the Bertaut-Warren-Averbach technique. *Clays & Clay Minerals* 46, 38-50.

Eberl D.D., Drits V., and Środoń J. (1998) Deducing growth mechanisms for minerals from the shapes of crystal size distributions. Am. J. Sci. 298, 499-533.

Środoń J. (1999) Use of clay minerals in reconstructing geological processes: current advances and some perspectives. Clay Minerals 34, 27-37.

Chaudhuri S., Środoń J. and Clauer N. (1999) K-Ar dating of the illitic fractions of Estonian “blue clay” treated with alkylammonium cations. Clays & Clay Minerals 47, 96-102.

Kawiak T., Ossowski A., Paszkowski M., Środoń J. i Zorski T. (1999) Skład mineralny utworów miocenu przedgorza Karpat a ich parametry jadrowe. Materiały Konferencji “Geologia-Geofizyka-Geochemia: Techniki Integracji dla Poszukiwan Naftowych”. Biuro Geologiczne „Geonafta”, Warszawa 18 maja 1999, 55-64 (*in Polish*).

Środoń J. (1999) Extracting K-Ar ages from shales: a theoretical test. Clay Minerals 33, 375-378.

Środoń J. (1999) Nature of mixed-layer clays and mechanisms of their formation and alteration. Annual Rev. Earth Planet. Sci. 27, 19-53.

Rajec P., Śucha V., Eberl D.D., Środoń J. and Elsass F. (1999) Effect of illite particle shape on cesium sorption. Clays & Clay Minerals 47, 755-760.

Środoń J., Drits V.A. McCarty D.K., Hsieh J.C.C. and Eberl D.D. (1999) Quantitative mineral analysis by powder X-ray diffraction from random preparations. Texaco Upstream Technology, Report 99-0134, 43 pp.

Kotarba M. and Środoń J. (2000) Diagenetic evolution of crystallite thickness distribution of illitic material in Carpathian flysh shales studied by Bertaut-Warren-Averbach XRD method (MudMaster computer program). Clay Minerals 35, 387-395.

Mystkowski K., Środoń J. and Elsass F. (2000) Mean thickness and thickness distribution of smectite crystallites. Clay Minerals 35, 545-557.

Środoń J. (2000) Reply to discussion of “Extracting K-Ar ages from shales: a theoretical test”. Clay Minerals 35, 605-608.

Środoń J., Eberl D.D. and Drits V.A. (2000) Evolution of fundamental particle-size during illitization of smectite and implications for reaction mechanism. Clays & Clay Minerals 48, 446-458.

Zorski T., Pałka K. i Środoń J. (2000) Geofizyczne i mineralogiczne aspekty identyfikacji składu mineralnego w cienkowarstwowych kompleksach piaszczysto-ilastych na podstawie jądrowych profilowań otworów. Materiały Konferencji GEOPETROL 2000, Zakopane 25-28.09.2000, Prace Instytutu Górnictwa Naftowego i Gazownictwa 110, 265-269 (*in Polish*).

Eberl D.D., Drits V.A. and Środoń J. (2000) GALOPER: a computer program for simulating the shapes of crystal size distributions, with associated programs. U.S. Geological Survey Open-File Report 00-505, 38 pp.

Eberl D. D., Drits V. and Środoń J. (2000) User's guide to GALOPER – a program for simulating the shapes of crystal size distributions – and associated programs. U.S. Geological Survey Open-File Report 00-505, 51 pp.

Środoń J. and Clauer N. (2001) Diagenetic history of Lower Paleozoic sediments in Pomerania (northern Poland) traced across the Teisseyre-Tornquist tectonic zone using mixed-layer illite-smectite. *Clay Minerals* 36, 15-27.

Śucha V., Środoń J., Clauer N., Elsass F., Eberl D.D., Kraus I., and Madejova J. (2001) Weathering of smectite and illite-smectite in Central-European temperate climatic conditions. *Clay Minerals* 36, 403-419.

Środoń J., Drits V.A., McCarty D.K., Hsieh J.C.C., and Eberl D.D. (2001) Quantitative XRD analysis of clay-rich rocks from random preparations. *Clays & Clay Minerals* 49, 514-528.

Środoń J., Clauer N. and Eberl D.D. (2002) Interpretation of K-Ar dates of illitic clays from sedimentary rocks aided by modelling. *Am. Mineral.* 87, 1528-1535.

Dudek T., Środoń J., Eberl D.D., Elsass F. and Uhlik P. (2002) Thickness distribution of illite crystals in shales. I: X ray diffraction vs. high resolution transmission electron microscopy measurements. *Clays & Clay Minerals* 50, 562-577.

Środoń J. (2002) Quantitative mineralogy of sedimentary rocks with emphasis on clays and with applications to K-Ar dating. *Mineral. Mag.* 66, 677-687.

Środoń J. (2003) Illite group clays. In: G. Middleton, ed. *Encyclopedia of Sediments and Sedimentary Rocks*. Kluwer Academic Publishers, 369-371.

Środoń J. (2003) Mixed-layer clays. In: G. Middleton, ed. *Encyclopedia of Sediments and Sedimentary Rocks*. Kluwer Academic Publishers, 447-450.

Dudek T. and Środoń J. (2003) Thickness distribution of illite crystals in shales. II: Origin of the distribution and the mechanism of smectite illitization in shales. *Clays & Clay Minerals* 51, 529-542.

Eberl D. D., Środoń J., and Drits V. A. (2003) Comment on "Evaluation of X-ray diffraction methods for determining the crystal growth mechanisms of clay minerals in mudstones, shales and slates" by L. N. Warr and D. R. Peacor. *Schweiz. Mineral. Petrogr. Mitt.* 83, 349-358.

Zviagina B.B., McCarty D.K., Środoń J. and Drits V.A. (2004) Interpretation of infrared spectra of dioctahedral smectites in the region of OH-stretching vibrations. *Clays & Clay Minerals* 52, 399-410.

Clauer N., Rousset D. and Środoń J. (2004) Modeled shale and sandstone burial diagenesis based on the K-Ar systematics of illite-type fundamental particles. *Clays & Clay Minerals* 52, 576-588.

Środoń J. (2004) Badania stopnia przeobrażenia termicznego minerałów mieszanopakietowych illit-smektyt. W: B. Kępińska, red. Badania warunków termicznych podhalańskiego systemu geotermalnego przy zastosowaniu nowej metody oksyreaktywnej analizy termicznej (OTA) i metod mineralogicznych. Wydawnictwo IGSMiE PAN, Kraków, 80-87 (*in Polish*).

Środoń J. (2004) Illite, by Alain Meunier and Bruce Velde. *Clays & Clay Minerals* 52, 792-795.

Środoń J., Kotarba M., Clauer N. and Wójtowicz A. (2005) Diagenetic history of Podhale basin and the sedimentary cover of the Tatras. *Prace Specjalne PTMin.* 25, 372-375.

Anczkiewicz A.A., Zattin M. and Środoń J. (2005) Cenozoic uplift of the Tatras and Podhale basin from the perspective of the apatite fission track analyses. *Prace Specjalne PTMin.* 25, 261-264.

Środoń J. (2006) Identification and Quantitative Analysis of Clay Minerals. Chapter 12.4 in: F. Bergaya, B.K.G. Theng and G. Lagaly, eds. *Handbook of Clay Science*, Elsevier.

Środoń J., Clauer N., Banaś M. and Wójtowicz A. (2006) K-Ar evidence for a Mesozoic thermal event superimposed on burial diagenesis of the Upper Silesia Coal Basin. *Clay Minerals* 41, 671-692.

Środoń J., Kotarba M., Biroń A., Such P., Clauer N. and Wójtowicz A. (2006) Diagenetic history of the Podhale-Orava basin and the underlying Tatra sedimentary structural units (Western Carpathians): evidence from XRD and K-Ar of illite-smectite. *Clay Minerals* 41, 747-770.

Środoń, J., Mystkowski, K., McCarty, D.K. and Drits, V.A. (2006) BESTMIN: a computer program for refining the quantities and the chemical composition of clays and other mineral components of fine-grained rocks. *International Conference "Clays and Clay Minerals", Pushchino, Russia*, Abstracts, p. 41.

Środoń J. (2007) Illitization of smectite and history of sedimentary basins. Proceedings of the 11th EUROCLAY Conference, Aveiro, Portugal, 74-82.

Środoń J. (2007) History of the Podhale flysch basin revealed by K-Ar and AFT dating and XRD study of clay minerals. *Annual Report of the Polish Academy of Sciences*, 97-100.

Day-Stirrat R.J., Aplin A.C., Środoń J. and van der Pluijm B.A. (2008) Diagenetic reorientation of phyllosilicate minerals in Palaeogene mudstones of the Podhale Basin, southern Poland. *Clays & Clay Minerals* 56, 100-111.

Środoń J. and McCarty D.K. (2008) Surface area and layer charge of smectite from CEC and EGME/H₂O retention measurements. *Clays & Clay Minerals* 56, 155-174.

Środoń J. (2008) Diagenetic history of the Podhale flysh basin. *Geoturystyka* 13, 45-50.

Szczerba M. and Środoń J. (2009) Extraction of diagenetic and detrital ages and of $^{40}\text{K}_{\text{detrital}}/^{40}\text{K}_{\text{diagenetic}}$ ratio from K-Ar dates of clay fractions. *Clays & Clay Minerals* 57, 93-103.

Derkowski A., Środoń J., Franus W., Uhlík P., Banaś M., Zieliński G., Čaplovicová M. and Franus M. (2009) Progressive dissolution of glauconite and its implications for the methodology of K-Ar and Rb-Sr dating. *Clays & Clay Minerals* 57, 531-554.

Środoń J., Zeelmaekers E. and Derkowski A. (2009) Charge of component layers of illite-smectite in bentonites and the nature of end-member illite. *Clays & Clay Minerals* 57, 650-672.

Środoń J. (2009) Quantification of illite and smectite and their layer charges in sandstones and shales from shallow burial depth. *Clay Minerals* 44, 421-434.

Środoń J., Clauer N., Huff W., Dudek T. and Banaś M. (2009) K-Ar dating of Ordovician bentonites from the Baltic Basin and the Baltic Shield: implications for the role of temperature and time in the illitization of smectite. *Clay Minerals* 44, 361-387.

Somelar P., Kärsimäe K. and Środoń J. (2009) Mixed-layer illite-smectite in the Kinnekulle bentonite, northern Baltic Basin. *Clay Minerals* 44, 455-468.

Szczerba M., Środoń J., Skiba M. and Derkowski A. (2010) One-dimensional structure of exfoliated polymer-layered silicate nanocomposites: A polyvinylpyrrolidone (PVP) case study. *Applied Clay Science* 47, 235-241.

Środoń J. (2010) Evolution of mixed-layer clay minerals in prograde alteration systems. Pp. 139-173 In: "Interstratified Clay Minerals: Origin, Characterization and Geochemical Significance" (S. Fiore, J. Cuadros & F.J. Huertas Eds.), Digilabs, Bari, Italy.

Środoń J. (2010) Evolution of boron and nitrogen content during illitization of bentonites. *Clays & Clay Minerals* 58, 743-756.

Zorski T., Ossowski A., Środoń J. and Kawiak T. (2011) Evaluation of mineral composition and petrophysical parameters by the integration of core analysis data and wireline well log data: the Carpathian Foredeep case study. *Clay Minerals* 46, 1-21.

Środoń J., Paszkowski M. , 2011. Role of clays in diagenetic history of boron and nitrogen in the Carboniferous of Donbas (Ukraine). *Clay Minerals*, 46: 561–582.

Środoń J. and Kawiak T. (2012) Mineral compositional trends, petrophysical and well logging parameters, and the composition of pore water in clastic rocks from shallow burial (Miocene of the Carpathian Foredeep, SE Poland) revealed by QUANTA+BESTMIN analysis. *Clays and Clay Minerals* 60, 63-75.

Zeelmaekers E., Vandenberghe N., Środoń J., 2012. Presence of bentonite beds in the earliest Eocene Tienen Formation in Belgium as evidenced by clay mineralogical analyses. Proceedings of the Climate and Biota of the Early Paleogene Conference. Austrian Journal of Earth Sciences, 105: 110–116.

- Derkowski A., Bristow T.F., Wampler J.M., Środoń J., Marynowski L., Elliott W.C. and Chamberlain C.P. (2013) Hydrothermally-driven diagenesis of the Ediacaran Doushantuo Formation in Yangtze Gorges area (South China). *Geochimica et Cosmochimica Acta* 107, 279-298.
- Środoń J., Drygant D.M., Anczkiewicz A.A. and Banaś M. (2013) Thermal history of the Silurian in the Podolia segment of the SW margin of the East European Craton inferred from combined XRD, K-Ar, and AFT data. *Clays and Clay Minerals* 61, 107-132.
- Anczkiewicz A., Środoń J. and Zattin M. (2013) Thermal history of the Podhale basin in the Internal Western Carpathians from the perspective of apatite fission track analyses. *Geologica Carpathica* 64, 151-161.
- Williams L., Środoń J., Huff W., Clauer N., Hervig R. (2013) Light element distributions (N, B, Li) in Baltic Basin bentonites record organic sources. *Geochimica et Cosmochimica Acta* 120, 582-599.
- Zorski T., Jarzyna J., Derkowski A., Środoń J. (2013) Geofizyka otworowa w dobie poszukiwań gazu w łyapkach. *Przegląd Geologiczny* 61, 424-434.
- Środoń J. (2013) Identification and Quantitative Analysis of Clay Minerals. Chapter 2.2 in Handbook of Clay Science, Developments in Clay Science 5, F. Bergaya and G. Lagaly, eds., Elsevier, pp. 25-50.
- Środoń J., Szulc J., Anczkiewicz A., Jewuła K., Banaś M., and Marynowski L. (2014) Weathering, sedimentary, and diagenetic controls of mineral and geochemical characteristics of the vertebrate-bearing Silesian Keuper. *Clay Minerals* 49, 569-594.
- Derkowski A., Szczerba M., Środoń J. and Banaś M. (2014) Radiogenic Ar retention in residual silica from acid-treated micas. *Geochimica et Cosmochimica Acta* 128, 236-248.
- Łokas E., Bartmiński P., Wachniew P., Mietelski J.W., Kawiak T., Środoń J. Sources and pathways of artificial radionuclides to soils at a High Arctic site (SW Spitsbergen). *Environmental Science and Pollution Research* (*submitted Feb. 2014*).
- Derkowski A., Środoń J. and McCarty D.K. Cation exchange capacity and water content of opal in sedimentary basins: example from the Monterey Formation, California. *American Mineralogist* (*submitted April 2014*)
- Szczerba M., Derkowski A., Kalinichev A.G., Środoń J. Molecular modeling of the effects of ^{40}Ar recoil in illite particles on their K-Ar isotope dating. *Geochimica et Cosmochimica Acta*. (*submitted September 2014*)
- Zeelmaekers E., Honty M., Derkowski A., Środoń J., DeCraen M., Vandenberghe N., Adriaens R., Wouters L. Qualitative and quantitative mineralogical composition of the Rupelian Boom Clay in Belgium. *Clay Minerals*. (*submitted September 2014*)